




# TRACK MOUNTED VSI

Hail Track - HT Series



CRUSHING | MINING | SCREENING | WASHING | RECYCLING SOLUTIONS

[www.hailstonein.com](http://www.hailstonein.com)

# TRACK MOUNTED VSI

## Hail Track - HT Series

Hailstone track mounted VSI is used as a tertiary crusher in a multistage crushing process or as a stand alone unit. It is ideal for producing fine aggregates.



SUITED FOR RUGGED  
APPLICATION



ENVIRONMENT  
FRIENDLY



HYBRID W/PLUG-IN  
ELECTRICAL



READY TO  
INSTALL & OPERATE

## Technical Specification

Model	HT V225-H
<b>Crusher</b>	
Model	VSIEP8X225
Feed Size, mm (in)	45 (1.8)
*Capacity, mtp/h	150 - 350
<b>System</b>	
opper Capacity (Extended), m <sup>3</sup>	6 / 10*
Feed belt width, mm (in)	1000 (39.4)
Feed height, mm (in)	3150 (124)
<b>Main Conveyor</b>	
Belt Width, mm (in)	1000 (39.4)
Discharge Height, mm (in)	2800 (110.2) / 3800 (149.6)
Stock Pile Capacity, m <sup>3</sup>	75
<b>Under Carriage</b>	
Shoe Width, mm (in)	400 (19.7)
Gradability	15°
Hydraulic Tank Capacity, litre	130
<b>Power Unit</b>	
Power, kW	364
Generator power, kVA	500
Engine / Alternator	SCANIA DC13/CAT C13 with Stamford / LS Alternator
Diesel Tank Capacity, litre	600
<b>Dimensions</b>	
Transportation (L x W x H), mm (in)	16500 x 2850 x 3550 (649.6 x 112.2 x 139.8)
Working (L x W x H), mm (in)	15500 x 2850 x 3550 (610.2 x 112.2 x 139.8)
Weight, kg (lbs)	40000 (88400)

\*Option

# HAILSTONE

*BUILT TO LEAD*

CRUSHING | MINING | SCREENING | WASHING | RECYCLING SOLUTIONS



**2000+**  
CUSTOMERS &  
INSTALLATIONS

**100+**  
PRODUCT  
MODELS

  
**ISO**  
9001 : 2015  
CERTIFIED COMPANY

  
CERTIFIED


  
MAKE IN INDIA

## HAILSTONE INNOVATIONS PRIVATE LIMITED

KINFRA Integrated Industrial Park, Kanjikode - 678 621, Kerala, India.

Mobile: +91 9746644588, | +91 8714634599 | E-mail: salesist@hailstoneinc.com

[www.hailstonein.com](http://www.hailstonein.com)

 @hailstoneinnovations



Scan here to reach our website